1937
Costello,

RM REPRINTS

UNITED STATES DEPARTMENT OF AGRICULTURE
Forest Service

(Progress Report No. 5)

CHECK LIST, PALATABILITY TABLE AND STANDARD SYMBOL LIST OF COLORADO AND WYOMING RANGE PLANTS

Costello, David F.

Rocky Mountain Forest and Range Experiment Station
Fort Collins, Colorado
June 16, 1937.

RR - RM
Forage
Inventory

Fort Collins, Colorado,
June 16, 1937.

CHECK LIST, PALATABILITY TABLE AND STANDARD SYMBOL LIST OF COLORADO AND WYOMING RANGE PLANTS.

This compilation represents both a revision and an expansion of "Palatabilities of Colorado and Wyoming Range Plants found in the 1936 Forage Inventory." ° The list of plants contains all the species found on sample plots during the cooperative forage inventory of 1936 in Colorado and Wyoming. The addition of species which occur on the national forests has greatly extended the list. This list applies specifically to Colorado and Wyoming and in general to the Black Hills of South Dakota and to the western one-fourth of Kansas and Nebraska.

The following agencies and individuals have contributed information: Colorado State College (E. W. Nelson); Division of Grazing (Milo H. Deming); Resettlement Administration (W. B. Mabee, L. W. Pearson); Soil Conservation Service (B. W. Allred, Kenneth Fiero, O. E. McConnell); Indian Service (E. W. Kreutzer); Forest Service (H. E. Schwan); and the University of Wyoming (A. F. Vass). H. D. Burke of the Forest Service gave valuable assistance in the preparation of the symbol list.

The "Inter-Agency" palatabilities were assigned by the following committee which met in Fort Collins, May 12, 1937: B. W. Allred (S.C.S.), David F. Costello (F.S.), W. B. Mabee (R.A.), O. E. McConnell (S.C.S.) and E. W. Nelson (C.S.C.). These palatabilities apply to the Great Plains of Colorado and Wyoming.

The Forest Service palatabilities were compiled with minor changes from the "Palatability Table of Range Plants" taken from the Range Management Handbook of Forest Service Region 2. These palatabilities are applicable to the range plants growing on the national forests and at high altitudes.

Forage symbols have been formulated in accordance with the principles shown in the "Instructions for Range Surveys" adopted by the Western Range Survey Conference at Salt Lake City, April 24, 1937: i.e., all capitals for genus symbols and one capital and two lower-case letters for species symbols. The genus symbol consists of the first three letters of the generic name; the species symbol consists of the first letter of the generic name and the first two letters of the specific name. Where conflicts occur the second or third letters are changed to remove the conflicts. Symbols for which such changes have been made are designated by a small circle.

° Compiled from information furnished September 15-16, 1936 by the agencies mentioned in the next paragraph.

Timber symbols, to be used when an over story is present, follow the common name of the species. These symbols have been compiled, with minor changes, from "Instructions for Making Timber Surveys in the National Forests," 1925.

Seasonal palatability symbols are as follows: s = summer, sp = spring, sp-F = spring fall.

Common names of plants were not available in many instances and owing to the urgent need for this list during the present field season common names used herein have not been checked against standardized lists.

Scientific names, for the most part, follow Forest Service usage. Commonly used synonyms are given and are cross referenced.

Further additions and changes will be made in this compilation as more information becomes available. Eventually the intention is to have it printed and made available for general distribution. Suggestions, additions, or corrections will be welcome.

David F. Costello

CHECK LIST, PALATABILITY TABLE, AND STANDARD SYMBOL LIST OF COLORADO AND WYOMING RANGE PLANTS

GRASSES

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
AGR	AGROPYRON		70	50	80	50
Aba	A. bakeri	Baker wheatgrass			70	50
Acr	A. cristatum	Crested wheatgrass	70	50	70	60
Ada	A. dasystachyum	Thickspike wheatgrass	80	50	80	50
	"A. caninum" (See A. subsecundum)				80	50
Apa	A. pauciflorum	Slender wheatgrass	70	50	80	60
Aps	A. pseudorepens				80	50
Are	A. repens	Quackgrass	60	40	80	50
Asc	A. scribneri	Spreading wheatgrass	70	50	70	50
Asm	A. smithii	Bluestem	70	50	80	30
Asp	A. spicatum	Bluebunch wheatgrass	70	50	80	50
Asu	A. subsecundum	Bearded wheatgrass	60	40	70	30
	A. tenerum (See A. pauciflorum)					
	A. violaceum (A. pauciflorum)					
°AGT	AGROSTIS		60	40	70	40
Aal	A. alba	Redtop	60	40	70	40
	A. capillaris (See A. tenuis)	Colonial bent				
Ahi	A. hiemalis	Ticklegrass	60	40	70	40
Aro	A. rossae	Ross redtop	60	40	70	40
Ate	A. tenuis	Colonial bent			60	40
	AIRA (See DESCHAMPSIA)					
ALO	ALOPECURUS		70	50	80	60
°Aap	A. alpinus	Alpine foxtail	70	50	80	60
AND	ANDROPOGON		40	30	50	20
Afu	A. furcatus	Bluejoint turkeyfoot	40	30	40s	10s
Aha	A. hallii	Turkeyfoot	40	30	40s	10s
Asa	A. saccharoides	Silver beardgrass	40	30	40s	20s
°Aso	A. scoparius	Prairie beardgrass	20	10	60s	30s
ARI	ARISTIDA		20	10	40	20
Alo	A. longiseta	Red three-awn	20	10	40	20
Aol	A. oligantha	Prairie three-awn	20	10	40	20
Afe	A. fendleriana				20-10	

GRASSES (Continued)

			% Palatability Inter-Agency		F.	S.
			C.	S.	C.	S.
	ARISTIDA (Continued)					
Apv	A. pansa	Wooton three-awn	20	10	20	10
Apu	A. purpurea	Purple three-awn	20	10	40	20
AVE	AVENA		50	40	70	60
Afa	A. fatua	Wild oat	50	40	70	60
BEC	BECKMANNIA		50	20	50	10
Bsy	B. syzigachne	American slough-grass	50	20	50	10
BLE	BLEPHARONEURON		50	30	70	60
Btr	B. tricholepis	Hairy dropseed	50	30	70	60
BOU	BOUTELOUA		70	50	80	70
Bcu	B. curtipendula	Side-oats grama	70	50	80	50
Ber	B. eriopoda	Black grama	70	50	70	60
Bgr	B. gracilis	Blue grama	80	70	80	80
Bhi	B. hirsuta	Hairy grama	80	70	80	80
Bro	B. rothrockii	Rothrock grama	60	50	60	50
Bsi	B. simplex	Mat grama	30	20	70	50
BRO	BROMUS		70	50	80	60
Ban	B. anomalus	Nodding brome	60	40	80	50
Bbr	B. breviaristatus	_____			80	60
Bca	B. carinatus	Mountain brome	70	50	80	60
Bci	B. ciliatus	Fringed brome	70	50	70	50
Bin	B. inermis	Smooth brome	80	50	80	50
	B. marginatus (See B. carinatus)	Mountain brome				
	B. polyanthus (See B. carinatus)	Mountain brome				
	B. porteri (See B. anomalus)	Nodding brome				
Bpu	B. pumpellianus	_____			70	50
Bra	B. racemosus	_____			70	50
Bte	B. tectorum	Downy chess	10	20	10	20
BUC	BUCHLOE		80	80	80	80
Bda	B. dactyloides	Buffalo grass	80	80	80	80
CAL	CALAMAGROSTIS		10	10	10	0
Cca	C. canadensis	Bluejoint	10	10	10	0
	C. langsdorfii (See C. canadensis)	Bluejoint				
Cpu	C. purpurascens	Purple reedgrass	10	10	10	0
CAF	CALAMOVILFA		20	10	10	0
Cgi	C. gigantea	Sandgrass	10	0	10	0
Clo	C. longifolia	Sandgrass	20	10	10	0
CAT	CATABROSA				50	0
Caq	C. aquatica	_____			50	0

GRASSES (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
CEN	CENCHRUS		0	0	50sp	30sp
°Cps	C. pauciflorus	Field sandbur	0	0	50sp	30sp
Ctr	C. tribuloides	Dune sandbur	0	0	50sp	30sp
DAN	DANTHONIA		50	20	50	20
Din	D. intermedia	Timber oatgrass			50	20
Dpa	D. parryi	Parry oatgrass			30	0
Dse	D. sericea	Downy oatgrass			50	20
Dsp	D. spicata	Poverty oatgrass			50	20
Dun	D. unispicata	One-spike oatgrass			50	20
DES	DESCHAMPSIA		60	40	60	40
Dca	D. caespitosa	Tufted hairgrass	60	40	60	40
DIG	DIGITARIA		0	0	10	10
Dsa	D. sanguinalis	Crabgrass	0	0	10	10
DIS	DISTICHLIS		20	10	20	10
Dst	D. stricta	Desert saltgrass	20	10	20	10
ECH	ECHINOCHLOA		10	10	50	20
Ecr	E. crusgalli	Barnyard grass	10	10	50	20
ELY	ELYMUS		20	10	40	20
Eca	E. canadensis	Canada wild-rye	30	30	40	20
Eco	E. condensatus	Giant wild-rye	10	0	30	10
Egl	E. glaucus	Blue wild-rye			30	10
ERA	ERAGROSTIS		0	0	30	10
°Ecl	E. cilianensis	Stinkgrass	0	0	30	10
FES	FESTUCA		40	20	60	50
Far	F. arizonica	Arizona fescue	40	20	40	20
Fid	F. idahoensis	Bluebunch fescue	70	50	80	60
Fki	F. kingii	Spike fescue	40	30	60	40
Foc	F. octoflora	Six-weeks fescue	20	10	60	40
Fov	F. ovina	Sheep fescue	30	20	40	20
Fov	F. ovina var. brachyphylla	Sheep fescue	30	20	40	20
Fru	F. rubra	Red fescue	40	30	60	50
Fth	F. thurberi	Thurber fescue	40	20	40	20
GLY	GLYCERIA				60	30
Ggr	G. grandis	American mannagrass			60	30
HIE	HIEROCHLOE (TORRESIA, SAVASTANA)				60	40
Hod	H. odorata	Sweetgrass			60	40
HIL	HILARIA				60	50
Hja	H. jamesii	Galleta	50	40	60	50
Hbe	H. belangeri	Curly Mesquite	50	40		

GRASSES (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	HILARIA (Continued)					
Hmu	H. mutica	Tobosa grass	40	20	40	20
HOR	HORDEUM		20	10	40sp	20s
Hju	H. jubatum	Foxtail barley	20	10	40sp	20s
Hno	H. nodosum	Meadow barley	30	10	40	20
Hpu	H. pusillum	Little barley	30	10	40	20
KOE	KOELERIA		60	50	60	50
Kcr	K. cristata	Junegrass	60	50	60	50
LYC	LYCURUS		60	50	60	50
Lph	L. phleoides	Wolftail	60	50	60	50
MEL	MELICA		60	50	70	50
Mbu	M. bulbosa	Oniongrass	60	50	70	50
Mpo	M. porteri	Porter melic	60	50	60	50
MUH	MUHLENBERGIA		30	20	60	50
[5]Mfl	M. filiculmis	Slimstem muhly			60	50
Mfi	M. filiformis	Pull-up muhly			20	10
	M. gracillima (See M. torreyi)					
Mmo	M. montana	Mountain muhly	50	30	60	60
Mpu	M. pungens	Sand muhly	20	10	60	50
Mre	M. repens	Creeping muhly	20	10	20	10
Msq	M. squarrosa	Mat muhly	40	30	60	50
Mto	M. torreyi	Ringgrass	10	20	0	10
Mwr	M. wrightii	Spike muhly			60	60
MUN	MUNROA		0	0	0	0
[5]Msr	M. squarrosa	False buffalo grass	0	0	0	0
ORY	ORYZOPSIS		50	20	50	20
Ohy	O. hymenoides	Indian ricegrass	50	20	50	20
	O. fimbriata (See Piptochaetium fimbriatum)					
Omi	O. micrantha	Littleseed ricegrass	40	30	50	20
	PANICULARIA (See GLYCERIA)					
PAN	PANICUM		40	20	40	20
[5]Pcp	P. capillare	Witchgrass	0	0	20	10
Pob	P. obtusum	Vine-mesquite	40	30	40	20
Pvi	P. virgatum	Switchgrass	40	20	40	20
PHL	PHLEUM		80	70	80	70
Pal	P. alpinum	Timothy	70	60	80	70
[5]Php	P. pratense	Alpine timothy	80	70	80	70
PIP	PIPTOCHAETIUM		40	30	40	30
Pfi	P. fimbriatum	Pinyon ricegrass	40	30	40	30

GRASSES (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
POA	POA		70	60	80	70
°Pap	P. alpina	Alpine bluegrass			80	70
Pan	P. annua	Annual "	20	10	80	70
Par	P. arctica	Arctic "			80	70
°Pad	P. arida	Plains "	70	60	80	70
Pbi	P. bigelovii	Bigelow "	70	60	70	60
°Pcb	P. canbyi	Canby "	70	60	70	60
Pco	P. compressa	Canada "	70	60	70	60
°Pcr	P. curta				80	70
Pcu	P. cusickii	Cusick bluegrass	70	60	80	70
Pfe	P. fendleriana	Mutton grass	70	60	80	80
Pin	P. interior	Inland bluegrass			80	70
°Pno	P. nemoralis	Wood "	70	60	80	70
°Pna	P. nervosa	Wheeler "			80	70
Poc	P. occidentalis	New Mexican "			80	70
Pne	P. nevadensis	Nevada "			80	70
Ppa	P. palustris	Fowl "			80	70
°Ppt	P. pattersoni	Patterson "			80	70
Ppr	P. pratensis	Kentucky "	70	60	80	80
Pre	P. reflexa	Nodding "			80	70
Pru	P. rupicola	Timberline "			80	70
	P. sandbergii (See P. secunda)					
Pse	P. secunda	Sandberg "	70	60	80	70
Pst	P. stenantha				80	70
POL	POLYPOGON		30	20	50sp	30s
Pmo	P. monspeliensis	Rabbitfoot grass	30	20	50sp	30s
PUC	PUCCINELLIA		10	10	20	10
Pnu	P. nuttalliana (airoides)	Nuttall alkali-grass	10	10	20	10
RED	REDFIELDIA		10	10	10	10
Rfl	R. flexuosa	Blowout grass	10	10	10	10
SCH	SCHEDONNARDUS		10	10	10	10
Spa	S. paniculatus	Tumblegrass	10	10	10	10
SCL	SCLEROCHLOA				40	10
Sdu	S. dura				40	10
°SCR	SCLEROPOGON		10	0	10	0
Sbr	S. brevifolius	Burro grass	10	0	10	0
SET	SETARIA		10	10	10	10
Sit	S. italica	Foxtail millet	10	10	10	10
Slu	S. lutescens	Yellow bristlegrass	10	10	10	10
°Svr	S. viridis	Green bristlegrass	10	10	10	10
SIT	SITANION		30	20	50sp	40s
Shy	S. hystrix	Squirreltail	30	20	50sp	40s

GRASSES (Continued)

		% Palatability Inter-Agency C.	S.	F. C.	S.
SORGHASTRUM		40	10	40	10
S. nutans	Indian grass	40	10	40	10
SPARTINA		10	0	30	10
S. cynosuroides	Big cordgrass	10	0	30	10
SPHENOPHOLIS				—	—
S. intermedia	Slender wedgegrass			—	—
SPOROBOLUS		40	20	40	30
S. airoides	Alkali sacaton	50	40	50	40
S. asper	_____	40	10	40	10
S. cryptandrus	Sand dropseed	40	20	40	30
S. flexuosus	Mesa dropseed	40	20	40	30
S. heterolepis	Prairie dropseed	50	40	50	40
S. microspermus (confusus)	Sixweeks dropseed	30	20	40	30
S. texanus	Texas dropseed	40	20	50	40
S. wrightii	Sacaton			50	40
S. vaginiflorus	_____	0	0	0	0
STIPA		60	40	50	40
S. columbiana	Columbia needlegrass	50	40	50	40
S. comata	Needle-and-thread	60	40	50	40
S. lettermani	Letterman needlegrass	60	40	50	40
S. lobata	_____			50	40
S. minor (See S.columbiana)	Columbia needlegrass			50	40
S. robusta	Sleepy grass	20	10	60	20
S. scribneri	Scribner needlegrass			50	40
S. spartea	Porcupine grass	40	20	50	40
S. viridula	Green needlegrass	60	40	60	20
SYNTHERISMA (See DIGITARIA)					
TRIODIA		20	10	0	0
T. pulchella	Fluffgrass	20	10	0	0
T. pilosa	Hairy triodia	20	10		
TRIPLASTIS				10	0
T. purpurea				10	0
TRISETUM		40	20	50	20
T. spicatum	Spike trisetum	40	20	50	20
T. wolfii	Wolfs trisetum			50	20

GRASS-LIKE SPECIES

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
CAR	CAREX		70	60	40	30
Caq	C. aquatilis	_____			60	0
Cat	C, atrata	_____			---	—
Cbe	C, bella	_____			—	—
Ceb	C. ebenea	_____			—	—
Cfe	C. festiva	_____			70	50
°Cfr	C. festivella	Mountain meadow sedge	70	50	70	50
Cfi	C. filifolia	Thread-leaf sedge	80	70	60	40
Cge	C. geyeri	Elk sedge			0	0
Che	C. heliophila	_____	60	50	50	40
Cph	C. phaecocephala	_____			—	—
Cst	C. stenophylla	_____	60	50	50	40
Csu	C. substricta	_____			—	—
CYP	CYPERUS				10	0
°Cfu	C. fendlerianus	_____	30	30		
Cin	C. inflexus	_____			10	0
ELE	ELEOCHARIS		40	10	50	0
°Eoa	E. ovata	Spikerush	40	10	50	0
°Epl	E. palustris	"	40	10	50	0
°JUD	JUNCOIDES	Wood rush			50	0
JUN	JUNCUS		30	10	40	20
Jat	J. ater	Rush	30	10	40	20
Jno	J. nodosus	"	30	10	30	10
Jpa	J. parryi	"			40	20
Jsu	J. subtriflorus	"			40	20
Jtr	J. triglumis	"			40	20
LUZ	LUZULA				60	40
Lpa	L. parviflora	Wood rush			60	40
Lpi	L. piperi	" "			60	40
SCI	SCIRPUS		0	0	10	0
°San	S. americana	Bulrush	0	0	10	0
TYP	TYPHA		0	0	10	0
Tla	T. latifolia	_____	0	0	10	0

WEEDS

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
ABR	ABRONIA		20	30	20	30
°Afg	A. fragrans	_____	20	30	20	30
ACH	ACHILLEA		20	40	30	50
Ala	A. lanulosa	Western yarrow	20	40	30	50
	A. millefolium (See A. lanulosa)					
ACO	ACONITUM		20	30	20	50
°Acm	A. columbianum	Monkshood	20	30	20	50
°ACA	ACTEAE				—	—
Aar	A. arguta	Baneberry			—	—
ACT	ACTINEA				0	0
	A. floribunda (See A. richardsoni)	Pingue				
°Agp	A. grandiflora	_____			0	40
Ari	A. richardsoni	Pingue			0	0
°ACN	ACTINELLA				0	0
°Arh	A. richardsoni	_____			0	0
Ato	A. torreyana	_____	0	0	0	0
ADE	ADENOSTEGIA		0	0	0	20
°Ars	A. ramosa	_____	0	0	0	20
AGA	AGASTACHE		10	30	10	40
Aan	A. anethiodora	Giant hyssop			—	—
Aur	A. urticifolia	Horsemint	10	30	10	40
AGO	AGOSERIS		50	70	50	70
Aau	A. aurantiaca	Mountain dandelion			50	70
°Agm	A. glaucum	_____			50	70
°Agf	A. grandiflorum	_____			50	70
°Apb	A. pubescens	_____			50	70
Amo	A. montana	_____			50	70
°App	A. purpurea	_____			50	70
°Asz	A. scorzoneraefolia	False dandelion			50	70
ALE	ALETES				—	—
°Aaa	A. acaulis	_____			—	—
°ALF	ALLENROLFEA				0	0
Aoc	A. occidentalis	Pickleweed			0	0
ALL	ALLIONIA		10	10	10	10
Adi	A. diffusa	_____	10	10	10	10
Ali	A. linearis	Umbrella wort	10	10	—	—
°ALM	ALLIUM		20	40	50	70
Aac	A. acuminatum	Wild onion			50	70

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	ALLIUM (Continued)					
Abr	A. brandegei	_____			50	70
Ace	A. cernuum	_____			50	70
°Acu	A. communis	_____			50	70
°Arm	A. reticulatum	_____			50	70
ALS	ALSINE		20	30	20	50
Aja	A. jamesii	Chickweed	20	30	20	50
AMA	AMARANTHUS		10	10	20	70
°Abd	A. blitoides	Pigweed			20	70
Agr	A. graecizans	"			20	70
°Arl	A. retroflexus	"			20	70
°Asn	A. spinosus	_____			20	70
AMB	AMBROSIA		0	0	10	20
°Aat	A. artemisiaefolia	Ragweed			10	20
°Apl	A. psilostachya	_____			10	20
°Ati	A. trifida	_____			10	20
AMS	AMSONIA		0	0	0	0
°Atx	A. texana	_____			0	0
ANA	ANAPHALIS				10	30
Ama	A. margaritacea var. subalpina	Pearly-everlasting			10	30
°ANS	ANDROSACE		0	0	0	10
°Adf	A. diffusa	Androsace			0	10
°Afl	A. filiformis	_____			0	10
°Aok	A. occidentalis	_____			0	10
Ase	A. septentrionalis	_____			0	10
ANE	ANEMONE				10	40
°Ago	A. globosa	Anemone			10	40
ANG	ANGELICA				50	80
°Amp	A. ampla	Angelica			50	80
ANO	ANOGRA		10	20	10	20
°Alb	A. albicaulis	Anogra	10	20	10	20
ANT	ANTENNARIA		0	0	0	0
°Aah	A. anaphaloides	Pussytoes			0	0
°Aai	A. aprica	"			0	0
°Aad	A. arida	"			0	0
°Acb	A. corymbosa	"			0	0
°Adm	A. dimorpha	"			0	0
°Ami	A. microphylla	"			0	0
°Amc	A. mucronata	"			0	0
Ana	A. nardina	"			0	0
Ani	A. nitida	"			0	0

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	ANTENNARIA (Continued)					
Aox	A. oxyphylla	Pussytoes			0	0
°Apr	A. parvifolia	"			0	0
°Ara	A. rosea	"			0	0
°ANH	ANTHEMIS		0	0	0	0
°Act	A. cotula	_____	0	0	0	0
APL	APLOPAPPUS		0	0	0	0
°Aag	A. argillaceus	Burroweed			0	0
°Acc	A. croceus	_____			0	0
°Aga	A. gracilis	_____			0	0
°Agd	A. grindelioides	_____			0	0
°Amm	A. macronema	_____			0	0
°Asy	A. spinulosus	_____			0	0
Aun	A. uniflorus	_____			0	0
APO	APOCYNUM				0	0
°Aaf	A. androsaemifolium	Dogbane			0	0
AQU	AQUILEGIA		0	0	10	20
°Acq	A. caerulea	Colorado columbine	0	0	10	20
Ael	A. elegantula	_____	0	0	10	20
ARA	ARABIS		10	20	20	50
°Adu	A. drummondii	Rock cress			20	50
°Agb	A. glabra	_____			20	50
°Ahr	A. hirsuta	_____			20	50
Aho	A . holboellii	_____			20	50
°Apn	A. perennans	_____			20	50
°Asr	A. sparsiflora	_____			20	50
	ARAGALLUS (See OXYTROPUS)					
ARE	ARENARIA		0	0	0	0
Aae	A. aequicaulis	Sandwort			0	0
°Acg	A. congesta	_____			0	0
Afe	A. fendleri	_____			0	0
°Ahk	A. hookeri	_____			0	0
°Alx	A. laxiflora	_____			0	0
°Amh	A. macrantha	_____			0	0
°Asj	A. sajanensis	_____			0	0
°Asx	A. saxosa	_____			0	0
ARG	ARGEMONE		0	0	10	10
Ain	A. intermedia	Prickly poppy	0	0	10	10
ARN	ARNICA				10	30
°Aci	A. cordifolia	Heartleaf arnica			0	0
Afu	A. fulgens	Arnica			10	30
°Aln	A. longifolia	_____			10	30

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	ARNICA (Continued)					
°Apy	A. parryi	_____			10	30
Ary	A. rydbergii	_____			10	30
°Asg	A. subplumosa	_____			10	30
ART	ARTEMISIA				0	10
Abo	A. borealis	_____			0	10
°Acn	A. canadensis	_____	0	10	0	10
Agn	A. gnaphalodes	Cudweed	0	10	10	20
°Aim	A. incompta	_____	0	0		
Amu	A. multisecta	_____			0	10
°Apt	A. pattersonii	_____			0	10
°Asl	A. scopulorum	_____			0	10
Awr	A. wrightii	_____			0	10
ASC	ASCLEPIAS		0	0	0	0
°Agi	A. galioides	Milkweed			0	0
°Apm	A. pumila	_____			0	0
°Ass	A. speciosa	_____			0	0
Ave	A. verticillata	_____			0	0
°ASR	ASTER		0	0	10	30
°Abg	A. bigelovii	Aster			0	0
°Age	A. glabella	_____			0	0
Ahe	A. hebecladus	_____			10	30
°Ams	A. multiflorus	Wreath aster			10	30
Ane	A. nelsonii	_____			10	30
Ata	A. tanacetifolia	_____			0	0
°Asi	A. spinescens	_____			0	0
Ava	A. varians	_____			0	0
Avi	A. viscosa	_____			0	0
Awo	A. wootonii	_____			10	30
AST	ASTRAGALUS		0	0	0	0
°Aas	A. adsurgens	Loco-milkvetch			—	—
°Apx	A. alpinus	_____			—	—
Abi	A. bisulcatus	_____	0	0	0	0
°Acp	A. caespitosus	_____			0	0
°Acl	A. calycosus	Milkvetch	0	0	—	—
°Ack	A. crassicarpus	_____			—	—
°Adl	A. diversifolius	Diverseleaf milkvetch	0	0		
°Ado	A. drummondii	_____	30	40	40	50
°Afx	A. flexuosus	_____			—	—
Ahy	A. hypoglottis	_____	20	30	—	—
°Amn	A. missouriensis	_____	20	30	—	—
°Amx	A. mollissimus	_____	0	0	0	0
°Apc	A. pectinatus	_____	0	0	0	0
Ash	A. shortianus	_____	20	30	—	—
°Atd	A. tridactylicus	_____			—	—
Awi	A. wingatensis	_____			—	—
ATH	ATHYRIUM				0	0
°Aak	A. americanum	Fern			0	0

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
ATR	ATRIPLEX				0	10
°Aaj	A. argentea	_____			0	0
°Apz	A. pabularis	_____			0	10
°Asb	A. subspicata	_____			0	10
AUL	AULOSPERMUM				40	70
°Alp	A. longipes	Fluted seed			40	70
BAH	BAHIA		10	20	20	30
Bdi	B. dissecta	Bahia	10	20	20	30
Bop	B. oppositifolia	_____	10	20	20	30
BAL	BALSAMORHIZA		20	40	30	60
°Bic	B. incana	Balsamroot			30	60
Bsa	B. sagittata	"	20	40	30	60
BID	BIDENS				20	40
Bgl	B. glaucescens	Beggarticks			20	40
	BILDERDYKIA (See POLYGONUM)					
BIS	BISTORTA				0	30
Bbi	B. bistortoides	_____			0	30
BLI	BLITUM				40	70
°Bcp	B. capitatum	_____			40	70
	BOBERA — Papposa					
BOT	BOTRYCHIUM				—	—
°Bsx	B. simplex	_____			—	—
BRA	BRASSICA		10	10	0	0
Bar	B. arvensis	_____			0	0
Bni	B. nigra	_____			0	0
°BRU	BRAUNERIA				—	—
Bpa	B. pallida	_____			—	—
BRI	BRICKELLIA				10	30
°Bgn	B. grandiflora	_____			10	30
BUP	BUPLEURUM				30	70
Bam	B. americanum	Haresear			30	70
BUR	BURSA				0	0
Bbu	B. bursa-pastoris	Shepherds-purse			0	0
°CAC	CALOCHORTUS		0	30	0	60
Cgu	C. gunnisonii	Gunnison mariposa	0	30	0	60
°Cnt	C. nuttallii	Sego-lily			0	60

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
°CAH	CALTHA				10	30
Cro	C. rotundifolia	Marshmarigold			10	30
CAM	CAMPANULA		20	30	30	70
°Cpr	C. parryi	Bellflower			30	70
°Crn	C. rotundifolia	Harebell			30	70
Cun	C. uniflora	_____			30	70
°CAN	CAPNOIDES		0	0	0	0
Cau	C. aureum	_____			0	0
°Cbd	C. brandegei	_____			0	0
	CAPSELLA (See BURSA)					
CAR	CARDAMINE				10	30
Cco	C. cordifolia	Bittercress			10	30
	CARDUUS (See CIRSIUM)					
°CAU	CARUM		30	70	30	80
°Car	C. carui	Caraway	30	70	30	80
CAS	CASTILLEJA		10	20	10	30
°Ccx	C. coccinea	Painted-cup			10	30
°Cit	C. integra	_____			10	30
Cli	C. linariaefolia	Linearleaf Indian paintbrush			10	30
°Cln	C. linearis	_____			10	30
Cmi	C. miniata	_____			10	30
Coc	C. occidentalis	_____			10	30
°Csa	C. septentrionalis	_____			10	30
°Csf	C. sessiliflora	_____			10	30
	CATHARTALINUM — See Linum				10-20	
CER	CERASTIUM		10	30	20	40
°Can	C. arvense	Mouse-ear-chickweed			20	40
°Cbr	C. beeringinaum	_____			20	40
°Ccm	C. campestre	_____			20	40
°Cod	C. occidentale	_____			20	40
°Cpl	C. pulchellum	_____			20	40
°Csr	C. stricta	_____			20	40
CHA	CHAENACTIS				0	0
°Cai	C. alpina	_____			0	0
°Csv	C. stevioides	_____			0	0
°CHM	CHAMAECRISTA				20	50
Cfa	C. fasciculata	Partridgepea			20	50
°CHX	CHAMAENERION	Fireweed	10	30	30	50
°Cag	C. angustifolium	Blooming sally			30	50

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
°CHY	CHAMAESYCE				0	0
°Cgn	C. greenei	Groundspurge			0	0
°CHT	CHEILANTHES				0	30
°Cfn	C. fendleri	Lip fern			0	30
°CHP	CHEIRINIA				—	—
°Cao	C. amoena	Wallflower			—	—
Cas	C. aspera				—	—
Cni	C. nivalis	Blistercress			0	0
Cwh	C. wheeleri				—	—
CHE	CHENOPODIUM		10	20	20	30
Cal	C. album	Lambsquarter			10	20
Cbo	C. botrys				0	0
Cgl	C. glaucum	Jeruselam-oak			20	30
°Clt	C. leptophyllum				20	30
CHO	CHONDROPHYLLA				0	0
Cfr	C. fremontii	Mossgentian			0	0
CHR	CHRYSOPSIS		0	0	0	10
Cba	C. bakeri (See C. villosa)					
Cvi	C. villosa	Golden aster			0	10
CIC	CICUTA		0	0	0	0
°Cot	C. occidentalis	Waterhemlock			0	0
CIR	CIRSIUM		0	0	10	0
Cam	C. americanum	Thistle			10	0
Cdr	C. drummondii	Drummond thistle			10	0
°Cun	C. undulatum	Thistle			10	0
CLA	CLAYTONIA		0	10	0	10
Cla	C. lanceolata	Spring beauty			0	10
CLE	CLEMATIS		0	10	0	10
Cdo	C. douglasii	Clematis			0	10
Chi	C. hirsutissima	Clematis			0	10
°Clg	C. ligusticifolia	Western virgin's bower			0	10
Csc	C. scottii				0	10
°CLO	CLEOME		0	0	0	0
Cse	C. serrulata	Rocky Mountain beeflower			0	0
COG	COGSWELLIA		10	20	60	80
°Cgy	C. grayi	Cogswellia			60	80
Cor	C. orientalis	"	10	20		

COLEOSANTHUS (See BRICKELLIA)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
°COS	COLLINSIA				0	10
Cte	C. tenella	Blue-eyed-Mary			0	10
COL	COLLOMIA		0	0	0	0
°Clr	C. linearis	Slenderleaf collomia			0	0
°Cmc	C. micrantha	_____			0	0
COM	COMMANDRA		0	0	0	0
Cpa	C. pallida	Bastard toadflax			0	0
°COE	COMMELINA				30	60
Ccr	C. crispa	Dayflower			30	60
°COO	CONIOSELINUM				40	80
°Csp	C. scopulorum	Osha			40	80
CON	CONVOLVULUS		0	0	0	0
°Cav	C. arvenis	_____	0	0	0	0
°COZ	CORALLORRHIZA				0	0
Cmu	C. multiflora	Coralroot			0	0
COX	COREOPSIS		0	0		

CORYDALIS (See CAPNOIDES)

CORDYLANTHUS (See ADENOSTEGIA)

CRASSINA (See ZINNIA)

CRE	CREPIS				10	80
°Cgs	C. gracilis	Hawksbeard			10	80
CRO	CROTON		0	0	0	0
°Ctx	C. texensis	_____	0	0	0	0
CRY	CRYPTANTHE		0	0	0	0
°Ccs	C. crassisepala	_____			0	0
Cfl	C. flava	_____			0	0
°Cga	C. gracilis	_____			0	0
Cja	C. jamesii	_____			0	0
°CRP	CRYPTOGRAMMA				0	0
Cac	C. acrostichoides	Rock brake			0	0
°Csl	C. stelleri	" "			0	0
CYN	CYNOMARATHRUM				0	0
Cea	C. eastwoodae	Dogparsley			0	0
Cnu	C. nuttallii	"			0	0
CYT	CYTHEREA				0	0
°Cbl	C. bulbosa	Calypso			0	0

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
CUC	CUCURBITA	Gourd	0	0	0	0
Cfo	C. foetidissima				0	0
CYC	CYCLOLOMA				0	0
Cat	C. atriplicifolium				0	0
CYM	CYMOPTERIS				50	80
°Cfd	C. fendleri				50	80
DAT	DATURA		0	0	0	0
°Dnt	D. meteloides	Jimson weed	0	0	0	0
DAU	DAUCOPHYLLUM				—	—
Dte	D. tenuifolium				—	—
DEL	DELPHINIUM		0	50	0	80
Dbi	D. bicolor				0	80
Dge	D. geyeri				0	80
Dme	D. menziesii	Low larkspur			0	60
Dne	D. nelsonii				0	80
Doc	D. occidentalis				0	80
Dro	D. robustum				0	80
Dsc	D. scopulorum				0	80
Dvi	D. virescens				0	80
°DEC	DESCURAINIA				—	—
Dan	D. andrenarum				—	—
DIC	DICENTRA				0	0
Dcu	D. cucullaria				0	0
DOD	DODECATHEON		0	10	0	10
°Dpc	D. pauciflorum	Shooting star	0	10	0	10
DOU	DOUGLASIA				0	10
Dmo	D. montana	Douglas-primrose			6	10
DRA	DRABA		10	20	20	50
°Dad	D. andina				20	50
Dch	D. chrysantha				20	50
Dhe	D. helleriana				20	50
Dol	D. oligosperma				20	50
°Dnm	D. nemorosa				20	50
°Dsl	D. spectabilis				20	50
°Dsr	D. streptocarpa				20	50
°DRM	DRYAS				0	0
°Dop	D. octopetala	Alpine-avens			0	0

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
DRY	DRYMOCALLIS		10	20	20	50
Dfi	D. fissa	Drymocallis	10	20	20	50
DYS	DYSODIA	(Boebera Papposa)	0	0	0	0
°Dpp	D. papposa				0	0
EPI	EPILOBIUM		10	30	30	50
Ead	E. adenocaulon	Willow-weed			30	50
°Eap	E. alpinum				30	50
	E. angustifolium (See Chamaenerion angustifolium)					
Epa	E. paniculatum	Willow-weed			30	50
	E. spicatum (See Chamaenerion angustifolium)					
EQU	EQUISETUM		0	0	0	0
Ear	E. arvense	Horsetail	0	0	0	0
ERI	ERIGERON		10	20	10	30
Eac	E. acris	Wild daisy-Fleabane			0	20
Eas	E. asper				20	50
°Ecp	E. caespitosus				20	50
°Ecu	E. coulteri				20	50
Edi	E. divergens				20	50
Eea	E. eatonii	Eaton's daisy			20	50
Eel	E. elatior					
Efl	E. flagellaris				0	20
°Egn	E. glandulosus				0	20
Ele	E. leiomeris				0	20
Ema	E. macranthus	Daisy			20	50
Emi	E. microlonchus				0	20
°Emr	E. minor				0	20
Epi	E. pinnatisectus				0	20
Epu	E. pumilus				0	20
°Erm	E. racemosus				0	20
Eru	E. rubicundus				0	20
Esa	E. salsuginosus				20	50
Esi	E. simplex				0	20
°Ess	E. speciosus				20	50
Est	E. stolonifera				0	20
°Esb	E. subtrinervis					
Esu	E. superbus				20	50
Eur	E. ursinus				0	20
°ERO	ERIOGONUM		0	10	0	10
Eal	E. alatum	Eriogonum			0	20
°Eau	E. annuum		0	0	0	0
°Ect	E. campanulatum		0	10	0	10
Ece	E. cernuum		0	0	0	0
Eef	E. effusum		10	20	0	20

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	ERIOGONUM (Continued)					
Ein	E. inflatum	_____	0	0	0	0
Eja	E. jamesii	_____				
Emu	E. multiceps	_____	0	0	0	0
Enu	E. nudicaule	_____				
Eov	E. ovalifolium	Eriogonum	0	0	0	10
Era	E. racemosum	"	0	0	0	0
°Esl	E. subalpinum	_____			0	0
Eum	E. umbellatum	Eriogonum	0	0	0	10
°ERT	ERITRICHIUM				0	0
°Eag	E. argenteum	Mountain-forget-me-not			0	0
°ERD	ERODIUM		30	50	80	80
Eci	E. cicutarium	Alfilerie			80	80
ERY	ERYSIMUM		0	0	0	0
Eof	E. officinale	Hedge-mustard	0	0	0	0
	(For other spp. of ERYSIMUM, see CHEIRINIA)					
°EYR	ERYTHRONIUM				0	0
Egr	E. grandiflorum	Glacierlily			0	0
EUP	EUPHORBIA		0	0	0	0
°Egy	E. glyptosperma	_____	0	0	0	0
°Emg	E. marginata	_____	0	0	0	0
Epe	E. petaloidea	_____	0	0	0	0
Ero	E. robusta	_____	0	0	0	0
Ese	E. serpens	_____	0	0	0	0
EVO	EVOLVULUS		0	0	0	10
°Epo	E. pilosus	_____			0	10
FIL	FILIX				0	0
Ffr	F. fragilis	Bladderfern			0	0
°FRG	FRAGARIA		0	10	0	10
Fam	F. americana	Strawberry			0	10
FRA	FRANSERIA		0	0	0	0
Fdi	F. discolor	_____			0	0
Fto	F. tomentosa	_____			0	0
°FRS	FRASERA		0	10	0	30
Fsp	F. speciosa	Elkweed			0	30
FRI	FRITILLARIA				0	0
Fpu	F. pudica	Yellowbell			0	0
GAI	GAILLARDIA		0	10	20	70
Gar	G. aristata	_____	0	10	20	70

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
GAL	GALIUM		0	10	0	20
Gbo	G. boreale	Bedstraw	0	10	0	20
GAU	GAURA		0	0	0	0
°Gcc	G. coccinea	_____	0	0	0	0
GAY	GAYOPHYTUM				20	50
Gca	G. caesium	Gayophytum			20	50
Gra	G. ramosissimum	Kitchenweed			20	50
GEN	GENTIANA		10	20	10	20
Gaf	G. affinis	Gentian			10	20
°Gcl	G. calycosa	_____			10	20
Gel	G. elegans	_____			10	20
Gst	G. strictiflora	_____			10	20
GER	GERANIUM		30	50	30	50
Gat	G. atropurpureum	Cranesbill			30	50
°Gcs	G. caespitosum	_____			30	50
Gfr	G. fremontii	Fremont geranium			30	50
Gin	G. incisum	Geranium			30	50
Gne	G. nervosum	_____			30	50
Gpa	G. parryi	_____			30	50
Gri	G. richardsonii	White geranium			30	50
Gvi	G. viscosissimum	Hairy geranium			30	50
GEU	GEUM				10	30
Gma	G. macrophyllum	Avens	10	30	10	30
Gtr	G. triflorum	_____			10	30
Gtu	G. turbinatum	_____			10	30
GIL	GILIA				0	10
Gag	G. aggregata	Tin piute			0	10
Gco	G. congesta	Gilia	0	10	0	10
°Gic	G. inconspicua	_____			0	10
Gmu	G. muttallii	_____			0	10
Gpi	G. pinnatifida	_____			0	10
Gpu	G. pungens	_____	0	10	0	10
°GLC	GLYCYRRHIZA		0	0	0	0
Gle	G. lepidota	_____	0	0	0	0
GNA	GNAPHALIUM				0	0
Gwr	G. wrightii	Cudweed			0	0
GRI	GRINDELIA		0	0	0	0
°Gaz	G. arizonica	_____			0	0
Gpe	G. perennis	_____			0	0
°Gsr	G. squarrosa	Gum-plant			0	0

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	GYMNOLOMIA (See VIGUIERA)					
HAB	HABENARIA				0	0
Hdi	H. dilatata	Bog orchid			0	0
HAR	HARBOURIA				50	70
Htr	H. trachypleura	_____			50	70
°HEM	HEDEOMA				0	0
Hhi	H. hispida	Rough pennyroyal			0	0
HED	HEDYSARUM				30	60
Hpa	H. pabulare	Rocky Mountain sweetvetch	20	40	30	60
Hma	H. marginatum	_____			30	60
°HEN	HELENIUM				0	0
Hau	H. autumnale	_____			20	40
Hho	H. hoopesii	Sneezeweed	0	0	0	10
°HET	HELIANTHELLA		10	30	10	30
Hqu	H. quinquenervis	_____			10	30
Hun	H. uniflora	One-flowered sunflower			10	30
HEL	HELIANTHUS		10	20	10	60
Han	H. annuus	Annual sunflower	10	20	10	60
Hle	H. leptophyllus	_____	10	20	10	60
Hnu	H. nuttallii	_____			10	60
Hpe	H. petiolaris	_____			10	60
°Hpm	H. pumilus	_____	10	20	10	60
Hsc	H. scaberrimus	_____			10	60
Hsu	H. subrhomboideus	_____			10	60
HER	HERACLEUM		50	50	60	80
Hla	H. lanatum	Cow parsnip	50	50	60	80
HEU	HEUCHERA				0	0
Hov	H. ovalifolia	Alumroot			0	0
°Hpr	H. parvifolia	_____			0	0
°HIC	HIERACIUM				30	70
Hfe	H. fendleri	Hawkweed			30	70
Hgr	H. gracile	_____			30	70
°HOK	HORKELIA				—	—
Hgo	H. gordonii	_____			—	—
HUM	HUMULUS				0	0
Hlu	H. lupulus	Hop			0	0
HYD	HYDROPHYLLUM				50	30
°Hfn	H. fendleri	_____			50	30

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
HYM	HYMENOPAPPUS		0	0	0	0
Hte	H. tenuifolius	_____	0	0	0	0
	HYMENOXYS (See ACTINEA)					
IBI	IBIDIUM				—	—
Iro	I. romanzoffianum	Ladies-tresses			—	—
IPO	IPOMOEA		0	0	0	0
Ile	I. leptophylla	Bush morning glory	0	0	0	0
IRI	IRIS		0	0	0	0
Imi	I. missouriensis	Iris	0	0	0	0
IVA	IVA		0	0	0	0
Iax	I. axillaris	_____	0	0	0	0
IVE	IVESIA				—	—
Igo	I. gordonii	Indianroot			—	—
KUH	KUHNIA		0	10	10	30
Kgl	K. glutinosa	False-boneset	0	10	10	30
°LAN	LACINIARIA				0	10
°Lpn	L. punctata	_____	0	10	0	10
Lpy	L. pycnostachya	_____			0	10
Lsc	L. scariosa	_____			0	10
LAC	LACTUCA		10	20	10	30
Lca	L. canadensis	_____			10	30
Lpu	L. pulchella	Wild lettuce			10	30
LAP	LAPPULA		0	0	0	0
Ler	L. erecta	_____			0	0
Lec	L. echinata	European stickseed			0	0
°Lfi	L. floribunda	Many-flowered stickweed			0	0
	L. lappula (See L. echinata)					
Loc	L. occidentalis	Western stickweed			0	0
Lre	L. redowskii	_____			0	0
LAT	LATHYRUS		30	50	70	80
Leu	L. eucosmus	Thickleaved peavine			70	80
Lle	L. leucanthus	Peavine			70	80
Lor	L. ornatus	_____			70	80
LAV	LAVAUXIA		0	0	0	0
Lbr	L. brachycarpa	_____			0	0
LAY	LAYIA				—	—
Lgl	L. glandulosa	_____			—	—

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
LEO	LEONTODON		30	40	70	80
Lce	L. ceratophorum	Dandelion			70	80
°Leh	L. erythrocarpum	Dandelion			70	80
Lta	L. taraxacum (Taraxacum officinale)	Dandelion			70	80
LEP	LEPIDIUM		0	0	0	10
Lap	L. apetalum	Peppergrass			0	10
Ldi	L. divergens				0	10
Lme	L. medium				0	10
Lmo	L. montanum alyssoides				0	10
°LET	LEPTILON				—	—
°Lcn	L. canadense				—	—
LES	LESQUERELLA		0	0	0	0
°Lag	L. argentea					
Lco	L. condensata	Bladderpod			0	0
°Lmt	L. montana				0	0
Lva	L. valida				0	0
°LEC	LEUCAMPYX				—	—
Lne	L. newberryi				—	—
LEU	LEUCOCRINUM		10	20	10	30
°Lmn	L. montanum		10	20	10	30
LEW	LEWISIA				0	10
°Lpg	L. pygmaea				0	10
	LIATRIS (See LACINIARIA)					
LIG	LIGUSTICUM		10	20	60	80
Lpo	L. porteri	Loveroot			60	80
Lte	L. tenuifolium				60	80
LIN	LINARIA				—	—
°Lcd	L. canadensis				—	—
Lvu	L. vulgaris				—	—
°LIM	LINUM		10	20	10	30
°Llw	L. lewisii	Prairie flax			10	30
Lri	L. rigida				10	30
LIP	LIPPIA		0	0	0	0
°Lln	L. lanceolata				0	0
°LIH	LITHOPHRAGMA				10	30
°Lpv	L. parviflora	Riceroot			10	30

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
LIT	LITHOSPERMUM		0	10	0	10
Len	L. angustifolium	Stoneseed	0	10	0	10
Lmu	L. multiflorum	_____	0	10	0	10
LLO	LLOYDIA				0	0
Lse	L. serotina	Alp-lily			0	0
LOT	LOTUS				60	80
Lwr	L. wrightii	_____			60	80
LUP	LUPINUS		10	40	10	40
Lad	L. aduncus	Lupine			10	40
Lar	L. argenteus	"			10	40
Lba	L. bakeri	"			10	40
°Lcs	L. caespitosus	"			10	40
Lgr	L. greenei	"			10	40
Lin	L. ingratus	"			10	40
°Llx	L. laxiflorus	"			10	40
Lmy	L. myrianthus	"			10	40
°Lpr	L. parviflorus	"			10	40
Lpl	L. plattensis	"			10	40
°Lps	L. pusillus	"			10	40
Lru	L. rubicaulis	"			10	40
Lwy	L. wyethii	"			10	40
°LYH	LYCHNIS				—	—
Ldr	L. drummondii	_____			—	—
LYC	LYCOPODIUM				0	0
°Lao	L. annotinum	Clubmoss			0	0
LYG	LYGODESMIA		0	0	0	0
Lju	L. juncea	Skeleton weed	0	0	0	0
	MACHAERANTHERA (See ASTER)					
MAC	MACRONEMA				—	—
°Mdi	M. discoideum	_____			—	—
MAD	MADIA		0	0	0	0
Mgl	M. glomerata	_____			0	0
MAL	MALACOTHRIX				—	—
Mso	M. sonchoides	_____			—	—
°MAV	MALVA		0	10		
Mro	M. rotundifolia		0	10		
	MALVASTRUM (See SPHAERALCEA)					

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
MAR	MARCHANTIA				0	0
°Mpl	M. polymorpha	_____			0	0
°MET	MELILOTUS				35	55
Mal	M. alba	White sweet clover	20	40	20	40
Mof	M. officinale	Yellow sweet clover	20	40	50	70
MEN	MENTHA		10	20	—	—
Mca	M. canadensis	Mint			—	—
°MEZ	MENTZELIA		0	0	0	0
Mmu	M. multiflora	Blazing star			0	0
Mnu	M. nuda	_____			0	0
°MEX	MERIOLIX		0	0	0	0
Mse	M. serrulata	Meriolix			0	0
MER	MERTENSIA				50	80
Mba	M. bakeri	Bluebell			50	80
Mbr	M. brevistyla	Small bluebell			50	80
Mci	M. ciliata	_____	10	20	50	80
Mfo	M. foliosa	_____			50	80
Mla	M. lanceolata	Bluebell			50	80
Mov	M. ovata	_____			50	80
MIM	MIMULUS		0	10	0	10
Mgu	M. guttatus	Monkeyflower			0	10
MIR	MIRABILIS				—	—
°Mcm	M. comata	_____			—	—
Mde	M. decipiens	_____			—	—
Mli	M. linearis	_____			—	—
°Mml	M. multiflorus	_____			—	—
°Mwi	M. wrightiana	Four-o-clock	0	10		
MIT	MITELLA				0	10
Mpe	M. pentandra	Bishopcap			0	10
MOE	MOEHRINGIA				10	30
°Mlt	M. lateriflora	_____			10	30
MOL	MOLDAVICA				—	—
Mpa	M. parviflora	Dragonhead			—	—
MON	MONARDA		0	0	0	30
Mme	M. menthaefolia	Horsemint			0	30
°Mnt	M. nuttallii	_____			0	30
°Mpc	M. pectinata	_____			0	30
°MOS	MONESES				0	0
Mun	M. uniflora	_____			0	0

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
°MOL	MONOLEPIS		20	30	30	70
°Mnl	M. nuttalliana	Onescale			30	70
°MOP	MONOTROPA				0	0
°Muf	M. uniflora	Indianpipe			0	0
°MOT	MONTIA				0	10
Mch	M. chamissonis	_____			0	0
°MOB	MORUBIUM		0	10	—	—
Mvu	M. vulgare	_____			—	—
MUS	MUSINEON		10	20	10	20
°Mdv	M. divaricatum	_____	10	20	20	50
MYO	MYOSOTIS				—	—
°Map	M. alpestris	Forget-me-not			—	—
°MYS	MYOSURUS				0	0
Mmi	M. minimus	_____			0	0
NAC	NACREA				0	10
Nla	N. lanata	False-pearly everlasting			0	10
NAV	NAVARRETIA				0	0
Nmi	N. minima	_____			0	0
NEP	NEPETA				0	0
Nca	N. cataria	_____			0	0
NIC	NICOTIANA				0	0
NOR	NORTA				—	—
Nal	N. altissima	Tumblemustard			—	—
NOT	NOTHOCALAIS		0	10	10	20
Ncu	N. cuspidata	_____	0	10	10	20
OEN	OENOTHERA		20	30	20	50
Oho	O. hookeri					
Ost	O. strigosa	Evening-primrose	20	30	—	—
	ONAGRA (See OENOTHERA)					
ONO	ONOSMODIUM				—	—
Ooc	O. occidentale	_____			—	—
	OONOPSIS (See APLOPAPPUS)					

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
ORE	OREOCARYA		0	0	0	0
Ocu	O. cuspidata	Itchweed			0	0
Osu	O. suffruticosa	_____			0	0
Ovi	O. virgata	_____			0	0
°ORO	OREOXIS				0	0
°Ohm	O. humilis	_____			0	0
ORT	ORTHOCARPUS		0	10	0	10
Olu	O. luteus	Orthocarp	0	10	0	10
Opu	O. purpureo-albus	_____	0	10	0	10
Oto	O. tolmiei	_____	0	10	0	10
OSM	OSMORHIZA				60	80
Odi	O. divaricata	_____			60	80
Onu	O. nuda	_____			60	80
Oob	O. obtusa	Sweet cicely			30	50
	OSMUNDA (See BOTRYCHIUM)					
OXA	OXALIS				50	70
*Osr	O. stricta	_____			50	70
*OXP	OXYPOLIS				50	80
Ofe	O. fendleri	Cowbane			50	80
*OXR	OXYRIA				0	20
*Odg	O. digyna	Mountain-sorrel			0	20
OXY	OXYTROPIS		0	0	0	50
Oal	O. albiflora	Loco	0	0	0	50
Ode	O. deflexa	_____	0	0	0	50
Ola	O. lambertii	_____	0	0	0	50
Omu	O. multiceps minor	_____	0	0	0	50
Osa	O. saximontana	_____	0	0	0	50
Ose	O. sericea	_____	0	0	0	50
PAC	PACHYLOPHUS		0	0	0	0
°Pmt	P. montanus	Fragrant evening primrose	0	0	0	0
°PAS	PARNASSIA				0	0
°Ppf	P. parviflora	Grass of Parnassus			0	0
PAR	PARONYCHIA		0	0	0	0
Pja	P. jamesii	Nailwort			0	0
°Ppl	P. pulvinata	_____			0	0
	PAROSELA			5 - 10		
PED	PEDICULARIS				10	70
Pbr	P. bracteosa	Lousewort			10	70
°Pcn	P. canadensis	_____			10	70

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	PEDICULARIS (Continued)					
Pgr	P. groenlandica	Elephant's head			0	10
°Ppy	P. parryi	_____			10	70
°Pro	P. racemosa	_____			0	10
Psc	P. scopulorum	_____			10	70
PEN	PENTSTEMON		10	20	10	20
°Pab	P. albidus.	Pentstemon			—	—
°Pas	P. alpinus	_____			—	—
°Pag	P. angustifolius	_____			—	—
Pba	P. barbatus torreyi	_____			—	—
Pcl	P. cleburnei	_____			—	—
°Pcd	P. crandallii	_____			—	—
°Pei	P. erianthera	_____			—	—
Pgl	P. glaber	_____			—	—
°Pga	P. glaucus	_____			20	50
°Pgc	P. gracilis	_____			20	50
Pli	P. linarioides	_____			—	—
Pol	P. oliganthus	_____			—	—
°Ppc	P. procerus	_____			20	50
Pra	P. radicosus	Pentstemon			—	—
Pry	P. rydbergii	"			20	50
°Psn	P. secundiflorus	_____			—	—
°Psr	P. strictus	_____			20	50
Pto	P. torreyi	_____			—	—
Pun	P. unilateralis	_____			—	—
°Pvr	P. virens	_____			—	—
Pwh	P. whippleanus	_____			10	20
PET	PETALOSTEMON				10	30
°Pci	P. candidus	Prairie clover			10	30
°Pog	P. oligophyllus	_____	10	20	10	30
°Ppp	P. purpureus	_____			10	30
	PETRADORIA (See SOLIDAGO)					
	P. pumila (See S. petradoria)					
PHA	PHACELIA		10	20	20	40
°Pgn	P. glandulosa	_____			20	40
Pfr	P. franklinii	_____			20	40
Phe	P. heterophylla	Phacelia			20	40
Ple	P. leucophylla	_____			20	40
°Pnm	P. neo-mexicana alba	_____			20	40
°Ptu	P. tenuiflora	_____			20	40
PHE	PHELLOPTERUS				40	60
°Pma	P. montanus	Camote			40	60
PHL	PHLOX		0	0	0	10
°Pby	P. bryoides	Phlox			0	10
Pca	P. caespitosa	Moss phlox			0	10

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	PHLOX (Continued)					
°Pce	P. condensata	_____			0	10
°Pdu	P. douglasii	_____	0	0		
°Pgb	P. glabrata	_____			0	10
Pho	P. hoodii	_____	0	10	0	10
Pmu	P. multiflora	Moss phlox			0	10
PHY	PHYSALIS		0	0	0	0
°Pfn	P. fendleri	_____			0	0
°PHS	PHYSARIA				0	20
Pdi	P. didymocarpa	Double bladderpod			0	20
PLA	PLANTAGO				20	60
°Pmj	P. major	Greater plantain			20	60
Ppu	P. purshii	Foothill plantain	0	10	0	10
Ptw	P. tweedyi	Tweedy plantain			20	60
°POI	POLANISIA		0	0	0	0
°Pty	P. trachysperma	_____	0	0	0	0
°PON	POLEMONIUM				10	40
°Pcf	P. confertum	Polemonium			0	10
Pfo	P. foliosissimum	"			10	40
Pme	P. mellitum	_____			10	40
°Pod	P. occidentale	_____			10	40
°Ppi	P. pulcherrimum	_____			10	40
°Psp	P. scopulorum	_____			10	40
°PLL	POLYGALA		0	0	0	0
°Paa	P. alba	_____	0	0	0	0
°POG	POLYGONUM				0	30
Pav	P. aviculare	Prostrate knotweed	0	10	0	30
	P. bistortoides (See BISTORTA bistortoides)					
°Pcv	P. convolvulus	_____			0	30
Pdo	P. douglasii	Douglas knotweed			0	30
°Pee	P. erectum	_____			0	30
Pmi	P. minutissimum	_____			0	0
°Psg	P. spergulariaeforme	_____			0	30
°Pvv	P. viviparum	_____			0	30
°POY	POLYPTERIS				—	—
°Phk	P. hookeriana	_____	0	30	—	—
°POS	POLYSTICHUM				—	—
Plo	P. lonchitis	_____			—	—

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. S. C.	S.
°POC	PORTULACA		0	0	0	0
°Poe	P. oleracea	_____	0	0	0	0
POT	POTENTILLA		10	30	10	30
°Pae	P. anserina	Cinquefoil			10	30
°Pcc	P. concinna	"			10	30
°Pdv	P. diversifolia	_____			10	30
°Pfs	P. fissa	_____			10	30
°Pgd	P. glandulosa	_____			10	30
°Pgu	P. glaucophylla	_____			10	30
°Pgi	P. gracilis	_____			10	30
Pni	P. nivea	_____			10	30
°Pnt	P. nuttallii	_____			10	30
Ppe	P. pennsylvanica	_____			10	30
°Ppn	P. pinnatisecta	_____			10	30
PRI	PRIMULA				0	10
°Ppv	P. parryi	Primrose			0	10
°PRN	PRUNELLA				0	0
Pvu	P. vulgaris	_____			0	0
PSE	PSEUDOCYMOPTERUS				60	80
°Pmn	P. montanus	False carrot			60	80
°Ptn	P. tenuifolius	_____			60	80
PSO	PSORALEA		0	10	0	10
°Pao	P. argophylla	_____	0	10	0	10
Pes	P. esculenta	_____	0	10	0	10
°Ptf	P. tenuiflora	_____	0	10	0	10
PTE	PTERIDIUM				0	0
Paq	P. aquilinum pubescens	Bracken			0	0
PUL	PULSATILLA		0	0	10	50
Phi	P. hirsutissima	Pasqueflower	0	0	10	50
PYR	PYROLA				0	0
Pch	P. chlorantha	Pyrola			0	0
QUI	QUINCULA		0	0	0	0
Qlo	Q. lobata	_____	0	0	0	0
RAD	RADICULA				0	0
Rly	R. lyrata	_____			0	0
RAN	RANUNCULUS				20	60
Rab	R. abortivus	Buttercup			20	60
Rca	R. calthaeflorus	_____			20	60
°Rcp	R. cardiophyllus	_____			20	60
°Rim	R. inamoenus	_____			20	60

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
RAT	RATIBIDA		0	0	0	10
Rco	R. columnaris	Coneflower	0	0	0	10
Rta	R. tagetes	_____	0	0	0	10
RHI	RHINANTHUS				—	—
°Rcg	R. crista-galli	_____			—	—
RHO	RHODIOLA (SEDUM)				0	0
Rro	R. rosea	Purple stonecrop			0	0
	RORIPA (See RADICULA)					
RUD	RUDBECKIA		10	20	20	40
Rla	R. laciniata	Coneflower	10	20	20	40
Rhi	R. hirta	_____	10	20	20	40
°Rod	R. occidentalis	_____	10	20	20	40
RUM	RUMEX		0	20	0	20
Rcr	R. crispus	Curled dock	0	20	0	20
Rhy	R. hymenosepalus	_____	0	20	0	20
Roc	R. occidentalis	_____	0	20	0	20
Rve	R. venosus	_____	0	20	0	20
	RYDBERGIA (See ACTINEA)					
SAG	SAGITTARIA				0	0
Sla	S. latifolia	Arrowhead			0	0
°SAC	SALICORNIA				—	—
Sru	S. rubra	_____			—	—
SAL	SALSOLA		10	20	10sp	20s
Spe	S. pestifer	Russian thistle	10	20	10sp	20s
SAX	SAXIFRAGA				0	10
Sar	S. arguta	Saxifrage			0	10
°Sbn	S. bronchialis austromontana	_____			10	20
Srh	S. rhomboidea	_____			0	10
SCH	SCHOENOCRAMBE				20	50
Sli	S. linifolia	Plains mustard			20	50
SCU	SCUTELLARIA				—	—
°Sbt	S. brittonii	_____			—	—
Sre	S. resinosa	_____			—	—
SED	SEDUM		0	0	0	0
°Srd	S. rhodanthum	Stonecrop			0	0
Sst	S. stenopetalum	_____			0	0

WEEDS (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
SEL	SELAGINELLA		0	0	0	0
Sde	S. densa		0	0	0	0
SEN	SENECIO				10	40
Sad	S. admirabilis	Groundsel			10	70
°Saa	S. anacletus				10	70
°Sab	S. ambrosioides					
°Sap	S. amplectens				10	30
Sat	S. atratus				10	30
Sau	S. aureus				10	30
Sba	S. balsamitae				0	10
Sbi	S. bigelovii				10	30
Sca	S. canovirens				0	10
°Scn	S. canus				10	30
°Sct	S. carthamoides				10	30
Sch	S. chloranthus				10	30
°Scd	S. condensatus				10	70
°Scs	S. contrisatus				10	30
°Scl	S. crassulus				10	30
°Scc	S. crocatus				10	30
Scy	S. cymbalarioides	Groundsel			10	70
Sdi	S. dimorphyllus				10	70
Sfe	S. fendleri				10	30
°Sfa	S. flavulus				10	30
Ser	S. eremophilus				0	10
Sgl	S. glaucescens				10	30
Sho	S. holmii					
°Sig	S. integerrimus				10	30
°Slt	S. laetiflorus				10	30
°Sln	S. longilobus				0	10
Sma	S. macdougalii				0	10
Smu	S. mutabilis				10	30
°Spx	S. perplexus		10	30	10	30
°Spt	S. petrocallis				10	30
°Spn	S. plattensis				0	10
Sps	S. pseudoaureus				0	10
Spu	S. purshianus				10	30
Sse	S. serra				10	30
Sso	S. soldanella				10	30
°Ssr	S. spartioides		0	0	0	0
Ssu	S. subcuneatus				0	10
Str	S. triangularis				30	70
Swe	S. werneriaefolius				0	10
Swo	S. wootonii					
SIB	SIBBALDIA					
Spr	S. procumbens					
SID	SIDALCEA				0	30
°Sci	S. candida	Prairie mallow			0	30

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	SIDERANTHUS (See APLOPAPPUS)					
SIE	SIEVERSIA				0	10
°Scv	S. ciliata	Oldman's whiskers			0	10
°Stb	S. turbinata	_____			0	10
SIL	SILENE		0	0	0	10
Sac	S. acaulis	Catchfly	0	0	0	10
SIS	SISYMBRIUM				0	10
°Sns	S. nasturtium-aquaticum (Other SISYMBRIUM spp., see SOPHIA)	Watercress			0	10
°SIR	SISYRINCHIUM				10	50
°Sag	S. angustifolium	Blue-eyed grass			10	50
SME	SMELOWSKIA				0	0
°Sae	S. americana	_____			0	0
	SMILACINA (See VAGNERA)					
°SOM	SOLANUM		0	0	0	0
Sja	S. jamesii	_____	0	0	0	0
Sol	S. oleagnifolium	_____	0	0	0	0
°Srs	S. rostratum	_____	0	0	0	0
SOL	SOLIDAGO		10	20	10	40
°Scz	S. ciliosa	Goldenrod			10	40
°Scw	S. corymbosa	_____			10	40
°Sdc	S. decumbens	_____			10	40
Sel	S. elongata	_____			10	40
Sga	S. garrettii	_____			10	40
Sna	S. nana	_____			10	40
°Spy	S. parryi	_____			10	40
°Spd	S. petradoria	_____			0	0
°Stn	S. trinervata	_____			10	40
SON	SONCHUS		0	0	0	0
°Sav	S. arvensis	_____			0	0
SOP	SOPHIA		0	10	0	20
°Sis	S. incisa	Tansy mustard	0	10	0	20
Spi	S. pinnata	" "	0	10	0	20
°SOH	SOPHORA		0	0	0	0
°Ssi	S. sericea	_____	0	0	0	0
SPE	SPECULARIA				0	0
°Slp	S. leptocarpa	_____			0	0
°Spf	S. perfoliata	_____			0	0

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
SPH	SPHAERALCEA					
Scu	S. cuspidata	Globemallow			20	70
°Sce	S. coccinea	"			0	10
STA	STANLEYA		0	0	0	0
°Sbp	S. bipinnata	_____	0	0	0	0
	STELLARIA (See ALSINE)					
STE	STEPHANOMERIA		0	0	0	0
Sex	S. exigua	_____	0	0	0	0
STI	STIERONEMA				0	10
°Scm	S. ciliatum	_____			0	10
STR	STREPTOPUS				10	50
°Saf	S. amplexifolius	_____			10	50
SUA	SUAEDA				0	0
°Sdp	S. depressa	_____			0	0
°Sdf	S. diffusa	_____			0	0
°See	S. erecta	_____			0	0
Smo	S. moquinii	_____			0	0
SWE	SWERTIA				10	20
°Spl	S. palustris	_____			10	20
SYN	SYNTHYRIS				0	20
°Spg	S. plantaginea	_____			0	20
Swy	S. wyomingensis	_____			0	20
	TARAZACUM (See LEONTODON)					
TEU	TEUCRIUM		0	10	0	10
°Tlc	T. laciniatum	_____	0	10	0	10
°THS	THALESIA				0	0
Tfa	T. fasciculata	Cancer-root			0	0
THA	THALICTRUM		0	10	0	20
Tal	T. alpinum	Meadowrue	0	10	0	20
Tfe	T. fendleri	"	0	10	0	20
Toc	T. occidentale	"	0	10	0	20
°THS	THELESPERMA		0	0	0	0
Tgr	T. gracile	_____	0	0	0	0
°THY	THELYPODIUM				0	0
Tel	T. elegans	_____			0	0
Tin	T. integrifolium	_____			0	0

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
THE	THERMOPSIS		0	10	0	0
Tdi	T. divaricarpa	Golden pea	0	10	0	0
Tmo	T. montana	Thermopsis	0	10	0	0
THL	THLASPI		0	0	0	10
Tar	T. arvense	Pennycress	0	0	0	10
°Tgi	T. glaucum	_____	0	0	0	10
TOW	TOWNSENDIA		0	0	0	0
Tex	T. eximia	_____			0	0
°Tes	T. exscapa	_____	0	0	0	0
°Tga	T. grandiflora	_____			0	0
Tpa	T. parryi	_____			0	0
°TRD	TRADESCANTIA				0	0
°Tlr	T. laramiensis	_____			0	0
°Toi	T. occidentalis	_____			0	0
TRA	TRAPOGON		0	0	0	20
Tpo	T. porrifolius	Purple salsify			0	20
Tpr	T. pratensis	Yellow salsify			0	20
°TRU	TRIBULUS				0	0
Tte	T. terrestris	Tack Bur			0	0
TRI	TRIFOLIUM		50	60	50	60
Tda	T. dasyphyllum	Clover			30	40
Thy	T. hybridum	"			80	80
°Tpy	T. parryi	"			30	40
Tre	T. repens	White clover			80	80
Try	T. rydbergii	" "			30	40
°TRL	TRILLIUM				0	0
Tov	T. ovatum	Trillium			0	0
TRO	TROLLIUS				10	30
°Tab	T. albiflorus	Globeflower			10	30
	TROXIMON (See AGOSERIS)					
URT	URTICA		0	0	0	10
Ugr	U. gracilis	Nettle	0	0	0	10
Uly	U. lyallii	_____	0	0	0	10
VAG	VAGNERA		10	20	10	20
°Vap	V. amplexicaulis	False solomonseal			10	20
Vra	V. racemosa	_____			10	20
°Vsl	V. stellata	_____			10	20
VAL	VALERIANA				20	30
Vac	V. acutiloba	Valerian			20	30

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	VALERIANA (Continued)					
Vce	V. ceratophylla	Valerian			20	30
Ved	V. edulis	Edible valerian			20	30
°VET	VERATRUM				0	10
Vsp	V. speciosum	False-hellebore			0	10
°VES	VERBASCUM		0	10	0	0
Vth	V. thapsus	Mullein	0	10	0	0
VER	VERBENA		0	0	0	0
Vbr	V. bracteosa	Verbena	0	0	0	0
Vha	V. hastata	_____			0	0
Vst	V. stricta	_____			0	0
•VEN	VERONICA				0	0
Val	V. alpina	_____			0	0
Vwo	V. wormskjoldii	_____			0	0
VIC	VICIA		40	50	40	50
Vam	V. americana	American vetch	40	50	50	60
Vli	V. linearis	_____	40	50	40	50
VIG	VIGUIERA (GYMNOLOMIA)				10	60
Vmu	V. multiflora	Many-flowered sunflower	10	40	10	60
VIO	VIOLA				0	50
Vad	V. adunca	_____			0	50
Vbe	V. bellidifolia	_____			0	50
Vca	V. canadensis	_____			0	50
Vne	V. nephrophylla	_____			0	50
Vnu	V. nuttallii	_____	0	30	0	50
Vpa	V. palustris	_____			0	50
WYE	WYETHIA				0	10
Wam	W. amplexicaulis	Mule's ear dock			0	10
War	W. arizonica	_____			0	10
Wne	W. neo-mexicana	_____				
XAN	XANTHIUM		0	0	0	0
Xco	X. commune	_____	0	0	0	0
Xec	X. echinatum	_____	0	0	0	0
	XYLORRHIZA (See ASTER)					
ZIN	ZINNIA				0	10
Zgr	Z. grandiflora	_____			0	10
ZYG	ZYGADENUS		0	0	0	0
Zel	Z. elegans	Mountain death camus			0	0
Zin	Z. intermedius	_____			0	0
Zve	Z. venenosus	Mountain death camus			0	0

BROWSE (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
	BOSSEKIA (See RUBUS)					
CEA	CEANOTHUS		20	30	20	30
°Cff	C. fendleri	Fendler ceanothus	20	30	20	30
°CEC	CERCOCARPUS		40	60	40sp-F	60sp-F
Cle	C. ledifolius	Curlleaf mountain mahogany	40	60	40sp-F	60sp-F
°Cpv	C. parvifolius	Mountain mahogany	40	60	40sp-F	60sp-F
°CHY	CHRYSOTHAMNUS		0	0	0	0
Cde	C. depressus	Rabbitbrush			0	0
°Cgc	C. glaucus	_____			0	0
Cgr	C. graveolens	_____			0	0
°Cll	C. lanceolatus	Lanceleaf yellowbrush	0	30	0	20
Cna	C. nauseosus	Rubber rabbitbrush			0	0
°Cpy	C. parryi	_____			0	0
°Cpt	C. plattensis	_____			0	0
°Cpb	C. puberulus	_____			0	0
°Cpi	C. pumilus	_____			0	0
°Csi	C. speciosus	_____			0	0
Cva	C. vaseyi	_____			0	0
°Cvd	C. vicidiflorus	_____			0	20
COR	CORNUS				30	20
°Ccn	C. canadensis	Dogwood			30	20
COW	COWANIA				—	—
	"C. mexicana" of U. S. authors (See C. stansburiana)					
°Cme	C. stansburiana	Cliffrose			—	—
CRA	CRATAEGUS				0	0
°Ccl	C. coloradensis	Thornapple - Hawthorn			0	0
DAS	DASIPHORA		10	10	20	60
Dfr	D. fruticosa	_____	10	10	20	60
°ECR	ECHINOCEREUS				0	0
Een	E. engelmanni	_____			0	0
EDW	EDWINIA				0	10
Eam	E. americana	_____			0	10
EPH	EPHEDRA				10	20
°Eay	E. antisyphilitica	Ephedra ("Mormon-tea")			10	20
EUR	EUROTIA		40	60	50w	80w
Ela	E. lanata	Winterfat ("White sage")	40	60	50w	80w
GRA	GRAYIA	Spiny hop-sage	0	0	0	0
Gsp	G. spinosa	_____			0	0

BROWSE (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S.
GRO	GROSSULARIA		10	20	—	—
GUT	GUTIERREZIA		0	0	0	0
Glo	G. longifolia	_____	0	0	0	0
Glu	G. lucida	_____	0	0	0	0
Gsa	G. sarothrae	Snakeweed	0	0	0	0
	HOLODISCUS (See SERICOTHECA)					
	JAMESIA (See EDWINIA)					
°JUP	JUNIPERUS	(J)			0	0
Jco	J. communis	_____	0	0	0	0
Jkn	J. knightii	_____			0	0
Jmo	J. monosperma	One-seeded juniper			0	0
Jsc	J. scopulorum	Rocky Mountain red juniper	0	0	0	0
Jut	J. utahensis	Utah juniper			0	0
KAL	KALMIA				0	0
Kpo	K. polifolia	Kalmia			0	0
KOC	KOCHIA				C	10
Kam	K. americana	_____			0	10
°LEG	LEPARGYREA				0	0
°Lci	L. canadensis	Russet buffaloberry			0	0
°LIA	LINNAEA				C	0
Lbo	L. borealis americana	Twinflower			0	0
LON	LONICERA				20	10
°Liv	L. involucrata	Honeysuckle			20	10
MAM	MAMILLARIA		0	0	0	0
Mne	M. neo-mexicana	_____			0	0
Mvi	M. vivipara	_____			0	0
ODO	ODOSTEMON		0	0	0	0
Ore	O. repens	_____	0	0	0	0
°OPR	OPULASTER				10	10
Omo	O. monogynus	Ninebark			10	10
OPU	OPUNTIA		0	0	0	0
Oar	O. aborescens	_____	0	0	0	0
Ohu	O. humifusa	_____	0	0	0	0
Opo	O. polacantha	Prickly pear	0	0	0	0
°PAH	PACHYSTIMA				0	0
Pmy	P. myrsinites	Myrtle boxleaf			0	0

BROWSE (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
RHU	RHUS		0	0	0	0
Rtr	R. trilobata	Skunkbush ("Squawberry", Squawbush)	0	0	0	0
RIB	RIBES		0	10	0	10
Rce	R. cereum	Wax currant	0	10	0	10
Rin	R. inebrians	Squaw currant	0	10	0	10
Rmo	R. montigenum	Gooseberry currant	0	10	0	10
Rsa	R. saxosum	_____	0	10	0	10
ROS	ROSA		10	20	20	30
Rar	R. arkansana	Rose	10	20	20	30
Rfe	R. fendleri	Fendler rose	10	20	20	30
Rwo	R. woodsii	_____	10	20	20	30
°Rsy	R. sayi	_____	10	20	20	30
RUB	RUBUS				0	0
Rde	R. deliciosus	Raspberry			0	0
SAL	SALIX		20	20	20	50
°Say	S. amygdaloides	Peachleaf willow				
Sbe	S. bebbiana	Bebb willow				
°Scx	S. cordata	Heartleaf willow				
°Sds	S. discolor	Pussy willow				
°Seg	S. exigua	Narrowleaf willow				
°Sfn	S. fendleriana	Fendler willow				
°Sgc	S. glaucops	Blueback willow				
°Sld	S. lasiandra	Western black willow				
°Spo	S. petrophila	Rock willow				
°Ssm	S. saximontana	Summit willow				
SAM	SAMBUCUS				50F	70F
Sme	S. melanocarpa	Blackbead elderberry			50F	70F
°Smb	S. microbotrys	Bunchberry elderberry			50F	70F
SAR	SARCOBATUS		20	20	20	20
Sve	S. vermiculatus	Greasewood	20	20	20	20
SER	SERICOTHECA				0	0
°Sdm	S. dumosa	Rockspirea			0	0
	SHEPERDIA (See LEPARGYREA)					
SOR	SORBUS				0	50
°Ssn	S. scopulina	Mountain ash			0	50
SYM	SYMPHORICARPOS		10	30	10	40
Sor	S. oreophilus	Snowberry	10	30	10	40
°Srn	S. racemosus	Mountain snowberry			10	40
TAM	TAMARIX				0	0
°Tgl	T. gallica	Tamarisk			0	0

BROWSE (Continued)

			% Palatability Inter-Agency C.	S.	F. C.	S. S.
TET	TETRADYMIA		0	0	0	0
Tsp	T. spinosa	Horesbrush	0	0	0	0
VAC	VACCINIUM				0	0
Vcp	V. caespitosum	Blueberry			0	0
Vor	V. oreophilum	_____			0	0
Vsc	V. scoparium	_____			0	0
YUC	YUCCA		0	0	0	0
Yba	Y. baccata	Yucca	0	0	0	0
Ygl	Y. glauca	Soapweed yucca	0	0	0	0